SimpleGuard 3[™]

- For dogs and puppies 2.5 to 20 lbs, over 7 weeks of age
- For dogs and puppies 21 to 55 lbs, over 7 weeks of age
- For dogs 56 to 95 lbs
- For dogs over 95 lbs

DO NOT USE ON CATS

- · Repels and kills fleas, ticks, and mosquitoes for one month
- Kills 4 species of ticks (*Rhipicephalus* spp, *Dermacentor variabilis, lxodes* spp, *Amblyomma maculatum*), 3 types of mosquitoes (*Culex* spp, *Ochlerotatus* spp, *Aedes* spp), and all stages of fleas
- Begins reducing flea feeding in 5 minutes
- Starts to kill fleas within 2 hours
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis, and anaplasmosis
- Easy, spot-on topical application
- · Continues to kill and repel fleas and tick after shampooing
- Only available from licensed veterinarians

After application, SimpleGuard spreads over the dog's body to provide full body protection against fleas, ticks and mosquitoes.

ACTIVE INGREDIENTS:

Dinotefuran	4.95%
Pyriproxyfen	0.44%
Permethrin	
OTHER INGREDIENTS	58.53%

KEEP OUT OF REACH OF CHILDREN

WARNING: See directions for use, precautionary statements, first aid and ingredients. FOR ADDITIONAL INFORMATION, PLEASE CONTACT US AT 1-877-847-3950 READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON PORCE ON PURPLES OVER 3, WEEKS OLD

USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

For external use on dogs only. Do not use this product on cats.

Use only on dogs and puppies over the age of 7 weeks (1.6mL and 3.6mL sizes) WARNING: Causes substantial, but temporary eye injury, harmful if swallowed or absorbed through skin. DO NOT get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco products.

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products without first consulting a veterinarian. Individual sensitivity, such as slight transitory redness, erythema or pruritus at the site of

application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild scap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.



DO NOT USE ON CATS. Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately.

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center, or doctor for treatment advice.
If swallowed:	Call a poison control center, or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. If skin appears irritated after rinsing call a poison control center or doctor, or 1-877-847-3950 after 6 pm EST call 1-888-426-4435 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-877-847-3950 or after 6 pm EST call 1-888-426-4435 for emergency medical information.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.] (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)] **HOW TO APPLY**.

1. USE ONLY ON DOGS. DO NOT USE ON CATS OR OTHER ANIMALS.

- 2. Remove applicator from package.
- 3. The dog should be standing or in a comfortable position for easy application.
- 4. Holding the applicator tube upright pointing away from face, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing the seal. See illustration.









Using the applicator tip part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, as shown in the diagram, squeezing the applicator tube until it is empty.

- 5. Discard empty applicator tube as outlined in Storage and Disposal.
- Repeat every month or as recommended by your veterinarian but not more often than every 30 days.
- 7. For optimum treatment, control and prevention of adult and immature fleas, ticks, mosquitoes, lice, mites (excluding mange mites) and biting and sand flies year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty, do not reuse the container. Place in trash or offer for recycling if available. **If partially filled**, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

Volume varies with size of animal for which package is intended and number of applicators per package. Product packaged in 6 applicators per package. Total volume will correspond to number of applicators.

Manufactured in the USA by: Summit VetPharm, LLC 301 Route 17 N Rutherford, NJ 07070 EPA Reg. No. 83399-6 EPA Est. No. 68669-NC-1

